




# PRODUCT CATALOG |





CCTV Expert is a group of company that strives to bring innovative and cutting edge technology to a growing number of businesses that require CCTV applications and security solutions in the workplace.

Unlike many other companies in our field who “oversell” and “under deliver”, we pride ourselves on the ability to provide a fast, efficient, reliable and cost effective service. When it comes to installing CCTV, only the very best will do. Our clients benefit from the use of proven and functional equipment which has been tested in the field. We source our products from top manufactures including Panasonic, Samsung and many others; this type of equipment allows for a first class installation every time.

We offer a free Quotation based on the customer’s needs and budget. CCTV is now considered crucial in both crime prevention and detection. We offer a range of CCTV systems from basic CCTV observation systems, to complex security camera systems. Our Digital CCTV enables non-stop recording on hard drives, Up to HD1080 image quality and 24 hour remote monitoring when linked to Alarm Monitoring Centre, plus remote viewing of images via the Internet from anywhere in the world.

### Our system features can include:

- Up to High Definition recording footage ( HD1080p)
- Triplex DVR and NVR for 24 hour nonstop recording
- Night vision using the latest IR technology
- Networked based CCTV to enable you to view the cameras from your mobile phone or from your laptop anywhere in the world
- PIR detectors link to DVR to activated an alarm

### Our Expertise:

1. CCTV camera installation and maintenance
2. Access control System
3. Fingerprint Biometric Access
4. Barrier Gate and Auto Gate
5. Intrusion Alarm System

### Our Commitment to you...

We offer a full 2 years warranty on our system and we will install advanced replacements on all CCTV equipment.

### Why Us?...

1. 2 Years Full warranty on equipment\*
2. Advanced replacement on equipment\*
3. Most competitive price
4. Top quality Product such as Panasonic, Samsung, Avtech
5. Fast and Reliable Service
6. More than 10 years experience and expertise in security
7. Awarded with “ Top 5 Installer in 2010”

\* Terms and conditions apply.



### Awards and Achievements:





## KPC132

Fixed Dome Camera



- 1/3" Sony Colour CCD image sensor
- 450TV lines of video resolution
- 3.6mm wide angle lens @ F2.0, 92.6°
- Minimum illumination of 0.4 lux @ F2.0

## 3503P

IR Dome Camera



- 1/3" Sony double density colour CCD
- 480TV lines of video resolution
- 3.6mm wide angle lens @ F1.0, 92.6°
- 35pcs IR LED @ 25m effective length
- 0.01 Lux @ F1.0 (Normal Color Mode, 50 IRE)
- 0 Lux @ F1.0 When IR on

## 3035C

IR Dome Camera



- 1/3" Sony Color CCD Sensor (Hi-Res)
- 480TV lines of resolution
- 0.5 Lux F1.2, 0 Lux when IR turned On
- 35pcs IR LED @ 30m effective length
- 3.6mm wide angle fixed lens

## 3242IR

42 IR CCD Camera



- 1/3" Sony Chipset CCD Color Sensor
- 450TV lines of video resolution
- 0.5Lux @ F1.2, 0 Lux @ IR On
- 42pcs IR LED @ 35~42m effective length
- 3.6mm wide angle lens

## 3503

35 IR CCD Camera



- 1/3" Sony double density colour CCD
- 480TV lines of video resolution
- 3.6mm wide angle lens @ F1.2, 80°
- 35pcs IR LED @ 25m effective length
- 0.05 Lux @ F1.2 (Normal Color Mode, 50 IRE)
- 0 Lux @ F1.2 When IR on

## 149EP


56 IR CCD Camera



- 1/3" Hi-Res Sony CCD image sensor
- 520TV lines of video resolution
- 3.6mm wide angle lens
- 56pcs IR LED @ 40m effective length
- 1 Lux @ F1.4, 0 Lux @ F1.4 when IR On
- IP67 resistance standard housing

## 3508VH

Weatherproof Vari-focal IR CCD Camera



- 1/3" Sony CCD image sensor
- 480TV lines of video resolution
- 3.6mm wide angle lens
- 30pcs IR LED @ 20-60m effective length
- 0.5 Lux @ F2.0, 0 Lux @ F2.0 When IR on
- IP67 resistance standard housing

## 3235IRH

IR Professional License Plate Camera



- 1/3" Sony Color CCD Sensor (Hi-Res)
- Equipped with 16mm fixed lens
- 35pcs IR LED, 0Lux @ F1.2
- Specially designed for car parking entrance
- With IR Cut Filter, Light Suppression function

## 483E

Sony Effio DSP Camera



- 1/3" Sony Effio DSP color sensor
- 600TV lines high video resolution
- Minimum illumination of 1.0Lux @ F1.4
- 3.6mm wide angle fixed lens

## 3613E

36 IR CCD Sony Effio DSP Camera



- 1/3" Sony Effio DSP color sensor
- 600TV lines high video resolution
- Minimum illumination of 0.01Lux @ F1.2
- 0Lux when IR turned On
- 36pcs IR LED @ 30m effective length

## 4813E

48 IR CCD Sony Effio DSP Camera



- 1/3" Sony Effio DSP color sensor
- 600TV lines high video resolution
- Minimum illumination of 0.01Lux @ F1.2
- 0Lux when IR turned On
- 48pcs IR LED @ 30m effective length

## AVH306

6CH Megapixel NVR



- H.264 / MPEG4 / MJPEG compression format
- 1.3Megapixel video recording quality
- Support High Definition HDMI video output
- Plug-And-Play auto camera config function
- Support up to 6TB HDD recording space
- Mobile phone surveillance capability

## Defender 8zones

8 Zones Intruder Alarm



- 8 flexible fully programmable zones
- 2 programmable partition & phone number
- 2 intelligent zones to minimize false alarm
- Speech menu for easy operating the system
- Home Automation function
- Support phone and internet monitoring
- Support typical CMS function

## Defender 20zones

20 Zones Intruder Alarm



- 20 flexible fully programmable zones
- 2 programmable partition & phone number
- 2 intelligent zones to minimize false alarm
- Speech menu for easy operating the system
- Home Automation function
- Support phone and internet monitoring
- Support typical CMS function

## F2

Fingerprint Biometric System



- Access control and time attendance reader
- LCD display with time & date
- Fingerprint record up to 1500 user, 30000 log
- Verification speed less than 2 sec
- Accuracy up to 99%
- Anti pass back function, multiple control output

## Auto Gate

Automation Gate System



- Swing gate or Sliding gate system available
- 12VDC or 24VDC direct current
- Backup battery support when power failure
- Waterproof and dust resistant casing

## BL-C121

Panasonic

Wireless MPEG-4 Network Camera



- MPEG-4 and JPEG compression format
- Wireless connection capability
- 10x Digital Zoom Function
- Built-in Microphone
- Multi-camera Capability
- Motion Detection Function

## BL-C131

Panasonic

Wireless MPEG-4 Pan/Tilt Network Camera



- MPEG-4 and JPEG compression format
- Wireless connection capability
- Pan/Tilt control capability
- 10x Digital Zoom Function
- Built-in Microphone
- Multi-camera Capability
- Motion Detection Function

## WV-CF102

Panasonic

Fixed Dome Camera



- 108 mm in diameter compact design
- 2.5 mm fixed focal lens
- High resolution: 540 TV lines
- 1.2 lux (Color), 0.9 lux (B/W) at F2.0
- ABS enhances the visibility of dark area

## WV-CP290

Panasonic

CCD Box Camera




- ABS enhances visibility of dark area
- 0.6 lux (Color), 0.04 lux (B/W) at F1.2
- IR cut filter switches on/off
- High resolution: 540 TV lines (Color)

## WV-SP105

Panasonic  
i-PRO  
SmartHD

Fixed HD Network Camera



- 720p HD images up to 30 fps
- Progressive scan 1.3 Megapixel MOS Sensor
- Up to 30 fps transmission at 1.3Megapixel
- 2x extra zoom under VGA resolution
- 0.8 lux (Color), 0.4 lux (B/W) at F2.2
- H.264 and JPEG simultaneous stream output
- Supports Power over Ethernet (PoE)

## WV-SP305

Panasonic  
i-PRO  
SmartHD

CCD Box HD Network Camera



- Progressive scan 1.3 Megapixel MOS Sensor
- Wide Dynamic Range
- Face Wide Dynamic Range
- 0.3 lux (Color), 0.2 lux (B/W) at F1.4
- H.264 (High profile) dual stream JPEG output
- Power over Ethernet (PoE) IEEE 802.3af

## SCD-2020

SAMSUNG

Fixed Dome Camera



- High resolution of 600TV lines
- Excellent sensitivity (0.15Lux)
- SSNRIII (Samsung Super Noise Reduction)
- Coaxial OSD control
- 3.7mm wide angle lens
- 3-Axis mechanical design (Indoor)

## SCD-2080R

SAMSUNG

Fixed IR Dome Camera



- High resolution of 600TV lines
- Min. illumination 0Lux (IR LED on)
- IR effective distance 20m
- 3.6x V/F lens (2.8 ~ 10mm)
- True Day & Night (ICR), MD, SSNRIII (3D+2D)
- Coaxial control (Pelco-C), 12V DC

## SCB-2000

SAMSUNG

CCD Box Camera



- 1/3" Super HAD color CCD
- High resolution of 600TV lines
- MSSNRIII, Upgraded 2D/3D noise reduction
- 0.05Lux@F1.2 (Color), 0.0001Lux@F1.2
- SSDR (Samsung Super Dynamic Range)
- HLC (Highlight Compensation)
- DIS (Digital Image Stabilization)

## SCO-2080R

SAMSUNG

IR CCD Box Camera



- 1/3" Super HAD color CCD
- High resolution of 600TV lines
- Day & Night with Infrared Cutoff Removal
- Built-in 3.6x (2.8 ~ 10mm) varifocal lens
- 0Lux@F1.2 (LED on), 0.15Lux@F1.2 (Color)
- Protection against water & dust (IP66)
- HLC (Highlight Compensation)

## SCP-2270H

SAMSUNG

PTZ Dome Camera



- High resolution of 600TV lines (Color)
- Minimum illumination 0.2Lux@F1.6 (Color), 0.02Lux@F1.6 (B/W)
- 27x optical zoom (3.5 ~ 94.5mm)
- Day & Night with Infrared Cutoff Removal
- Intelligent detection & tracking function
- HLC (Highlight Compensation)

## AVN80X

AVTECH  
PUSH VIDEO

Megapixel Network Camera



- 1.3 Megapixel live MOS sensor with HDTV 720P
- Push Video support, send an event notification
- SD card support for video storage
- Built-in white LED light to illuminate the scene
- External alarm I/O device connection support
- Microphone & speaker built-in for two-way audio transmission

## AVC791B

AVTECH

4 Channel H.264 DVR



- H.264 video compression format
- Real-time with full D1 video recoding
- Internet surveillance capability
- Built-in VGA output up to 1600x1200 resolution
- Built-in USB interface for USB drive backup and mouse control

## AVC796B

AVTECH

8 Channel H.264 DVR



- H.264 video compression format
- Real-time with full D1 video recoding
- Internet surveillance capability
- Built-in VGA output up to 1600x1200 resolution
- Built-in USB interface for USB drive backup and mouse control

## AVC798B

AVTECH

16 Channel H.264 DVR



- H.264 video compression format
- Real-time with full D1 video recoding
- Internet surveillance capability
- Built-in VGA output up to 1600x1200 resolution
- Built-in USB interface for USB drive backup and mouse control

## AVD748D

AVTECH  
IVS

16 Channel H.264 IVS DVR



- H.264 Video Compression Technology
- Full D1 video recording quality
- Intelligent Surveillance: Virtual Fence, Flow Counting, single channel motion recording
- DVR / Camera Communication System (DCCS)
- Push Notification (iPhone, iPad or Android)





Thistle Johor Bahru Hotel



Danga View Apartment, JB



Hotel / Restaurant Li Garden



SMK Pasir Putih



Pusat Pelancongan Malaysia



Denso (Malaysia) Sdn Bhd



Crabtree & Evelyn Malaysia



Allsport Equipment Malaysia



NKF Malaysia

## Other Reference List:

Bison Stores Sdn Bhd (My.NEWS.com)  
Blivene International Sdn Bhd  
BranCare Sdn Bhd  
Brassline Components Sdn Bhd  
Budi Restaurant  
Cneng Resources Sdn Bhd - Levis shop  
Crabtree & Evelyn (All Branch in Malaysia)  
CTC Food & Beverage Sdn Bhd  
Dato Mohamad Izat Emir (House)  
Denso (Malaysia) Sdn Bhd  
Emir Enterprise Sdn Bhd  
Exquisite Auto Haus Sdn Bhd  
Fusipim Sdn Bhd  
GEA Westfalia Separator (M) Sdn Bhd  
Gold-Trend Group  
Hafarizam Wan & Aisha Mubarak  
Hamburger Pictures  
Hinano Health World Sdn Bhd  
Hostel Cosmopolitan

International Horticulture Group Sdn Bhd  
Izakaya Ichiban Restaurant  
Jets Express Services Sdn Bhd  
JKS Engineering (M) Sdn Bhd  
JMB Pangsapuri Vista Prima  
J-Unique  
Kejuruteraan Elektrik Lapangan Terbang Sdn Bhd  
Klinik Mediviron UOA  
Koi Synergy Holdings Sdn Bhd  
Kyros Food Industries Sdn Bhd  
Laguna Redang Island Resort Sdn Bhd  
Lifestyle Brokers Sdn Bhd  
Little Taiwan @ E-Curve  
LWE Engineering Sdn Bhd  
Malaysian Academy of Legal Secretaries (MALS)  
Manulife Insurance Berhad  
Mediplas Respiratory Products Sdn Bhd  
Might-Meteor Advanced Manufacturing Sdn Bhd  
Monarch Diamonds Sdn Bhd

Network Freight Sdn Bhd  
New York New York Deli  
One World Group  
P2J Asia Tech Sdn Bhd  
Pangsapuri Belimbing Height  
Pangsapuri Cempaka Bukit Belimbing  
Perbadanan Pengurusan Happy Mansion  
Perbadanan Pengurusan Serimas  
PERDASAMA  
Polyclinic & Surgery Siva  
Pusat Jagaan Kanak-Kanak Hobbes  
Pusat Pelancongan Malaysia (MaTIC)  
Sekolah Kebangsaan Taman Sea  
Sekolah Menengah Kebangsaan Tmn Sea  
Sensory Basic Sdn Bhd  
Singer (M) Sdn Bhd

And more...



**CCTV** EXPERT

[www.cctvexpert.com.my](http://www.cctvexpert.com.my)

**Kuala Lumpur**

ADDRESS: 75-4, 3rd Floor, Jalan SS23/15, Taman Sea, 47400 Petaling Jaya, Selangor, Malaysia.  
TEL: 603-7880 7868      FAX: 603-7880 7868

**Johor Bahru**

ADDRESS: 55, Jalan Ros Merah 2/1, Taman Johor Jaya, 81100 Johor, Malaysia.  
TEL: 607-357 8182      FAX: 607-350 8112